




**CINE SUPPORT SOLUTIONS**  
2026



Use toggle to view Avenger & Manfrotto content side by side



# Download the Avenger Grip Catalogue App

- Explore our products
- Browse by catalogue or family
- Detailed product filtering
- Watch our unique video content
- Read exclusive in app articles
- View Avenger & Manfrotto content side by side
- Get regular updates on new content
- Save items to custom lists
- And much more!

Scan the QR code below to download or search Avenger Grip on the App store for Apple devices or the Google Play store for Android devices.



Connect with  
the world of



 Follow us on Instagram  
[@avengergrip](https://www.instagram.com/avengergrip)

 Like us on Facebook  
[@avengergrip](https://www.facebook.com/avengergrip)

 Watch our videos  
[www.youtube.com/@AvengerGrip](https://www.youtube.com/@AvengerGrip)





### Avenger

In 1988 the Avenger brand was established by the already successful Manfrotto company and started production in Feltre, responding to the specific needs of photo and cine markets. Avenger's range of products, including stands, clamps, grips, light modifiers and accessories have been designed in consultation with key cine industry professionals delivering the right combination of quality and performance to meet the exacting demands of the motion picture industry.

Our products are built tough, to withstand extreme use whether in the studio or on location including rough atmospheric conditions. Avenger's now established and highly regarded products have become industry standards. Products such as **Strato Safe** and **Long John Silver** are used worldwide and have been designed and built to meet a specific need of the industry. Avenger's strength in research and development has led to a new standard in safety; the Buccaneer light stand is the world's first stand to achieve a low-loading height of just 94cm or 37 inches, yet able to raise an 80kg (176.3lb) cine-light 3 metres (9.84 feet) high. Innovation is at the heart

of all Avenger products, offering the highest quality, most reliable and safest products for you to use. Our world class research and development team ensure our products meet and exceed the internationally recognised safety standards such as DIN 56950, TÜV, ISO9001 and ISO14001 plus TÜV, DIN & CE quality assurance regimes. These accreditations are your guarantee that our products meet and exceed the most exacting tests for safety and reliability.

**TÜV SÜD** Certification Mark assures quality. Within our collection you will notice some products that are certified with TÜV SÜD. TÜV SÜD is a globally recognised, leading independent product certification body, providing minimum performance standards, certification and approval schemes for a wide range of products whether mandatory or voluntary. TÜV SÜD's distinctive blue octagon mark is instantly recognised everywhere as a symbol of quality and safety.



We have chosen to have our key products tested for compliance with the technical requirements of their voluntary standards; it is important to note that TÜV regularly updates the standards and we reassess our equipment for compliance, making modifications as and when required.

Our commitment to your safety never diminishes and is a key differentiator of the Avenger brand from others in the market.

As a Company, we also comply to **DIN 56950**. This safety standard applies to machinery and machinery installations used in places of assembly and in staging and production facilities for events and theatrical productions. Such facilities include theatres, multi-purpose halls, exhibition halls, film, television and radio studios. Avenger has a worldwide network of distribution partners to offer support; from assistance in product selection through to providing a fully comprehensive


after-sales service for further advice, spare parts and servicing.

We hope you find this catalogue a useful tool and remind you to visit our web site at [www.avengergrip.com](http://www.avengergrip.com) for the latest updates on products.



All Avenger products are designed, engineered and made in Italy.

# PRODUCTS



STANDS

8

LIGHT CONTROL

44

SYSTEMS


54

ACCESSORIES

84




# STANDS





## STANDS PROPERTIES



Aluminum and Steel versions available. Alu Stand for lightness and steel stand for robustness and durability.



Levelling leg available in all the stands for ease of use on all different floor types. A fundamental feature for outdoor applications.



All the components are assembled using bolts (no rivets) for extra rigidity and easy maintenance if required.



Captive handle: thanks to this special machining on the threads, it is impossible to lose the handle even if completely unscrewed.



Captive collars: thanks to a special design, even if the user unscrews the locking nut, of this component the inner alu insert and dedicated machining of the tube does not allow for the column to separate.



Storing Device: this clever component permits easy and safe storage during transportation or in the warehouse.



Mobile Column: thanks to the double handles on the spider casting, the stand becomes more stable when lowering the central column on to the ground.



Dedicated design of the collars. It avoids any fingers pinching.



All the bases are made of square tubes in order to guarantee the best stability.



Welded spigot (steel version) guarantees the highest mechanical performance and reliability during the products working life.




All the strategic aluminum components which have to guarantee safety of the product are made using the Gravity Casting technology. This process excludes any possibility of having air bubbles getting into the casting.



All the aluminum columns are assembled using electro-welded tubes. These components offer a higher stress resistance (bending and breaking) compared with the traditional extruded tubes.

## HOW TO READ THE STAND CODES

**A 20 18 L CB**



# CENTURY STANDS



A2016DCB

DETACHABLE / TURTLE BASE

## A2016D

### C-STAND 16 DETACHABLE CHROME FINISH VERSION

84cm 2' 9"	155cm 5' 1"	84cm 2' 9"	95cm 3' 1"	5.6kg 12.3lb
10kg 22lb	28mm 1 1/8"	16mm 5/8"	28mm 1 1/8"	

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

## A2022D

### C-STAND 22 DETACHABLE CHROME FINISH VERSION

110cm 3' 7"	222cm 7' 3"	110cm 3' 7"	95cm 3' 1"	5.9kg 13lb
10kg 22lb	28mm 1 1/8"	16mm 5/8"	28mm 1 1/8"	

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

## A2030D

### C-STAND 30 DETACHABLE CHROME FINISH VERSION

134cm 4' 4"	300cm 9' 10"	134cm 4' 4"	95cm 3' 1"	6.2kg 13.7lb
10kg 22lb	28mm 1 1/8"	16mm 5/8"	28mm 1 1/8"	

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

## A2016DCB

### C-STAND 16 DETACHABLE BLACK CHROME FINISH VERSION

## A2022DCB

### C-STAND 22 DETACHABLE BLACK CHROME FINISH VERSION

## A2030DCB

### C-STAND 30 DETACHABLE BLACK CHROME FINISH VERSION

\* Please note the Japanese version of these stands have a 17.5mm female top attachment.



17.5mm

**A2018F****C-STAND 18**

CHROME FINISH VERSION

84cm 2' 9"	175cm 5' 9"	84cm 2' 9"	95cm 3' 1"	4.3kg 9.5lb
8kg 17.6lb	16mm 5/8"			

Chrome plated steel stand.  
3 sections, 2 risers.  
Ø: 35, 30, 25mm. Leg Ø: 25mm.

**A2025F****C-STAND 25**

CHROME FINISH VERSION

110cm 3' 7"	253cm 8' 4"	110cm 3' 7"	95cm 3' 1"	5kg 11lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

**A2033F****C-STAND 33**

CHROME FINISH VERSION

134cm 4' 5"	328cm 10' 9"	134cm 4' 5"	95cm 3' 1"	5.5kg 12.1lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

**A2018FCB****C-STAND 20**

BLACK CHROME FINISH VERSION

**A2018FJCB****C-STAND 20**BLACK CHROME FINISH VERSION  
JAPANESE VERSION\***A2025FCB****C-STAND 25**

BLACK CHROME FINISH VERSION

**A2033FCB****C-STAND 40**

BLACK CHROME FINISH VERSION

**STANDARD / FIXED BASE****SLIDING LEG / ROCKY MOUNTAIN LEG****A2018L****C-STAND 18 SLIDING LEG**

CHROME FINISH VERSION

84cm 2' 9"	175cm 5' 9"	84cm 2' 9"	95cm 3' 1"	4.3kg 9.5lb
8kg 17.6lb	16mm 5/8"			

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

**A2025L****C-STAND 25 SLIDING LEG**

CHROME FINISH VERSION

110cm 3' 7"	253cm 8' 4"	110cm 3' 7"	95cm 3' 1"	5.8kg 12.8lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

**A2033L****C-STAND 33 SLIDING LEG**

CHROME FINISH VERSION

134cm 4' 5"	328cm 10' 9"	134cm 4' 5"	95cm 3' 1"	5.5kg 12.1lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.  
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

**A2018LCB****C-STAND 18 SLIDING LEG**

BLACK CHROME FINISH VERSION

**A2018LJ****C-STAND 18 SLIDING LEG**

CHROME FINISH JAPANESE VERSION\*

**A2025LCB****C-STAND 25 SLIDING LEG**

BLACK CHROME FINISH VERSION

**A2025LJ****C-STAND 25 SLIDING LEG**

CHROME FINISH JAPANESE VERSION\*

**A2033LCB****C-STAND 33 SLIDING LEG**

BLACK CHROME FINISH VERSION

**A2033LJ****C-STAND 33 SLIDING LEG**

CHROME FINISH JAPANESE VERSION\*

**A2018LJCB****C-STAND 18 SLIDING LEG**BLACK CHROME FINISH JAPANESE  
VERSION\***A2025LJCB****C-STAND 25 SLIDING LEG**BLACK CHROME FINISH JAPANESE  
VERSION\***A2033LJCB****C-STAND 33 SLIDING LEG**BLACK CHROME FINISH JAPANESE  
VERSION\*

# CENTURY STANDS



A2014CB



A2007



A2009CB

## BASE

### A2007 C-STAND MINI BASE CHROME FINISH VERSION

27cm 11"	95cm 3' 1"	2.7kg 6.6lb	28mm 1 1/8"

### A2009 C-STAND BASE CHROME FINISH VERSION

27cm 11"	95cm 3' 1"	2.7kg 6.6lb	28mm 1 1/8"

### A2007CB C-STAND MINI BASE BLACK CHROME FINISH VERSION

### A2009CB C-STAND BASE BLACK CHROME FINISH VERSION

## COLUMN

### A2014 C-STAND COLUMN 14 CHROME FINISH VERSION

68cm 2' 3"	139cm 4' 7"	2.2kg 4.9lb	16mm 5/8"	28mm 1 1/8"

3 sections (Ø: 35, 30, 25mm) chrome steel column.

### A2020 C-STAND COLUMN 20 CHROME FINISH VERSION

95cm 3' 1"	206cm 6' 9"	2.8kg 6.2lb	16mm 5/8"	28mm 1 1/8"

3 sections (Ø: 35, 30, 25mm) chrome steel column.

### A2029 C-STAND COLUMN 29 CHROME FINISH VERSION

118cm 3' 10"	285cm 9' 4"	3.3kg 7.3lb	16mm 5/8"	28mm 1 1/8"

3 sections (Ø: 35, 30, 25mm) chrome steel column.

### A2014CB C-STAND COLUMN 14 BLACK CHROME FINISH VERSION

### A2020CB C-STAND COLUMN 20 BLACK CHROME FINISH VERSION

### A2029CB C-STAND COLUMN 29 BLACK CHROME FINISH VERSION

\* Please note the Japanese version of these stands have a 17.5mm female top attachment.



17.5mm

### A2020JCB C-STAND COLUMN 20 BLACK CHROME FINISH JAPANESE VERSION\*



KIT

**A2033FKIT**  
**C-STAND KIT 33**  
 CHROME FINISH VERSION

Chrome plated steel stand.  
 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

Includes:  
 A2033F C-STAND  
 D200 2" GRIP HEAD  
 D520 40" EXTENSION GRIP ARM

**A2033LKIT**  
**C-STAND KIT 33 SLIDING LEG**  
 CHROME FINISH VERSION

Chrome plated steel stand.  
 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

Includes:  
 A2033L C-STAND  
 D200 2" GRIP HEAD  
 D520 40" EXTENSION GRIP ARM

**A2030DKIT**  
**C-STAND KIT 30 DETACHABLE**  
 CHROME FINISH VERSION

Chrome plated steel stand.  
 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

Includes:  
 A2030D C-STAND  
 D200 2" GRIP HEAD  
 D520 40" EXTENSION GRIP ARM

**A2033FCBKIT**  
**C-STAND KIT 33**  
 BLACK CHROME FINISH VERSION

**A2030DCBKIT**  
**C-STAND KIT 30 DETACHABLE**  
 BLACK CHROME FINISH VERSION


# CENTURY STANDS ACCESSORIES

Our Grip Heads have been specifically designed to hold scrims, flags, floppies & cutters mounted on Century Stands, or butterfly frames mounted on Overhead Stands during film, video or photo shoots. Extension offset arms, used in combination with Grip Heads, provide an extended grip point for scrims, flags and small lights, and are available in two lengths: 20" (51cm) and 40" (102cm). The Grip Head can be combined with other accessories to solve most light and light modification accessory positioning problems. Grip Heads are available in two specific diameters, the standard is 2 1/2" the Jumbo version is 4".

T-Top  
Rubber covering  
for added grip of the  
handle (different  
colours available  
for customization).


Dedicated ball bearing.  
Fundamental component  
for the highest torque.  
(+40% jaw's pressure,  
+90% twisting resistance  
applied to the arm).

Bearing jacket to  
distribute the pressure  
generated.



Aluminum handle with  
dedicated design for  
high locking torque  
transmission.

Aluminum jaws.  
Four different  
gripping diameters  
available.



Aluminum main body with baby attachment and steel helicoidal inserts.

Disk made by the same material used in the automotive field for excellent friction control.

Aluminum M10 handle.

# CENTURY STANDS ACCESSORIES



**D200**  
2 1/2" GRIP HEAD

550g 16mm  
1.2lb 5/8"

Avenger's most popular grip accessory. The D200 Grip Head has hundreds of functions. Unlike any other Grip Head, the D200 utilizes a series of washers for extra locking torque and the use of automotive-quality brake pad discs for secure, non-slip security. Connect with E600 snap-in pin or E600C snap-in pin to attach to the original Super Clamp.



**D210J**  
SNAP-IN GRIP HEAD  
JAPANESE VERSION

750g 17.5mm  
1.7lb

Combining the multi-functional D200 Grip Head with a 17.5mm pin to interface with the Japanese attachment. The D210J allows you to hang flags and scrims in positions that light stands can't reach.



**D230**  
SUPER CLAMP  
GRIP HEAD

950g  
2.1lb

This kit includes the D200B Grip Head and the Avenger C1575B Super Clamp.



**D220**  
GRIP HELPER

1.1kg 16mm  
2.4lb 5/8"

Just as the name suggests, the Grip Helper is like three Grip Heads in one. Two independent grip heads sandwich a third with a fixed 16mm pin. This system allows multiple light control accessories to mount in front of fixtures without the need for numerous light stands.

**D200B**  
2 1/2" GRIP HEAD  
BLACK FINISH VERSION

**D210JB**  
SNAP-IN GRIP HEAD  
BLACK JAPANESE VERSION



**D250**  
GAG GOBO

460g 16mm  
1lb 5/8"

This unique double Grip Head system provides the flexibility of a second grip head allowing hundreds of uses including doubling up scrims and flags.



**D240**  
GRIP HEAD  
WITH SWIVEL PIN

1.25kg 16mm 16mm 28mm  
2.8lb 5/8" 5/8" 1 1/8"

Two famous accessories connected together to assure a wide range of fixing solutions. Attachments: 16mm male pin + 16mm female socket 28mm male pin.



**D100**  
DOUBLE GRIP HEAD

870g  
1.9lb

A combination of two sets of Grip Head discs mounted on a steel plate with a 10mm rod with a length of 13.5cm (5").



**AVCSA1301B**  
TRIPLE C ROLLER  
CASE FOR  
DETACHABLE  
C-STAND  
& ACCESSORIES

7.8kg  
17.2 lb

Internal Size  
Height 19cm / 7" Width 35cm / 14" Length 120cm / 3' 11"

External Size  
Height 28cm / 11" Width 40cm / 16" Length 128cm / 4' 2"



**D500**  
20" EXTENSION  
GRIP ARM

 1.03kg  
2.3lb

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags. Pipe length 51cm (20").



**D520**  
40" EXTENSION  
GRIP ARM

 1.28kg  
2.8lb

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags or small lights. Pipe length 102cm (40").



**D530L**  
40" EXTENSION ARM  
AND GRIP HEAD (D200)

 2.15kg  
4.7lb

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags or small lights. Pipe length 102cm (40"). It includes D200 Grip Head.



**D800KIT**  
GRIP KIT

Set of accessories that work on their own or in combination with stands to support scrims, flags and lighting fixtures to provide precision and secure control. Kit comprises of:

- D200B Black Grip Head.
- E600 Snap-in 16mm pin.
- D520B Black 40" Extension Arm.
- C1575B Black Super Clamp.
- H4BAG Grip Kit Bag.

**D500B**  
20" EXTENSION  
GRIP ARM  
BLACK FINISH VERSION

**D520B**  
40" EXTENSION  
GRIP ARM  
BLACK FINISH VERSION

**D530LB**  
40" EXTENSION ARM  
AND GRIP HEAD  
(D200B)  
BLACK FINISH VERSION



**D420**  
JUMBO GAG GOBO

 1.3kg  
2.9lb

This double 10mm (4 1/2") Grip Head allows for multiple overheads to be used simultaneously.



**D400**  
4 1/2" JUMBO GRIP  
HEAD

 2.35kg  
5.2lb  28mm  
1 1/8"  28mm  
1 1/8"

Designed to convert a Junior Stand into an Overhead Stand, the D400 incorporates a 10mm (4 1/2") Grip Head with a Junior Stud and receiver.

**D400B**  
4 1/2" JUMBO GRIP  
HEAD  
BLACK FINISH VERSION



**E600**  
SNAP-IN PIN

 16mm  
5/8"

Specifically designed to connect Grip Head to Super Clamp. Aluminum.

**E600C**  
SNAP-IN PIN  
STEEL VERSION



**D050**  
SET OF 6  
BLUE T-TOPS

Rubber cover gives better grip for 80mm T-handles, even in cold weather.

# BABY STANDS

## A0010 BABY STAND 10

52cm 1' 8"	100cm 3' 3"	47cm 1' 7"	43cm 1' 5"
2.5kg 5.5lb	15kg 33.1lb	16mm 5/8"	

Steel legs and aluminum risers, silver only.  
3 sections, 2 risers. Ø: 35, 30, 25 mm.  
Leg: 20x20mm. 1 levelling leg.

## A0017 BABY STAND 17

82cm 2' 8"	175cm 5' 9"	73cm 2' 5"	75cm 2' 6"
3.4kg 7.7lb	4kg 8.8lb	16mm 5/8"	

Steel legs and aluminum risers, silver only.  
3 sections, 2 risers. Ø: 35, 30, 25 mm.  
Leg: 20x20mm. 1 levelling leg.

## A0010J BABY STAND 10 JAPANESE VERSION\*

\* Please note the Japanese version of these stands have a 17.5mm female top attachment. 17.5mm

### STEEL BASE AND ALU COLUMN



A0010

## A625B MINI KIT STAND BLACK ALU

73cm 2' 5"	236cm 7' 10"	69cm 2' 3"	94cm 3' 1"
1kg 2.2lb	4kg 8.8lb	16mm 5/8"	

## A630B MIDI KIT STAND BLACK ALU

86cm 2' 10"	312cm 10' 3"	89cm 2' 11"	96cm 3' 2"
2.2kg 4.8lb	9kg 19.8lb	16mm 5/8"	

## A635B MAXI KIT STAND BLACK ALU

103cm 3' 5"	379cm 12' 5"	107cm 3' 6"	109cm 3' 7"
2.5kg 5.5lb	9kg 19.8lb	16mm 5/8"	



A630B



A0025B

**A0025B**

**ALU BABY STAND 25**

98cm 3' 3"	250cm 8' 2"	87cm 2' 10"	87cm 2' 10"
3kg 6.6lb	4kg 8.8lb	16mm 5/8"	

Black aluminum stand.  
3 sections, 2 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.



A0040B

**A0030B**

**ALU BABY STAND 30**

113cm 3' 8"	300cm 9' 10"	100cm 3' 3"	100cm 3' 3"
3.5kg 7.7lb	10kg 22lb	16mm 5/8"	

Black aluminum stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**A0035B**

**ALU BABY STAND 35**

126cm 4' 2"	350cm 11' 6"	112cm 3' 8"	100cm 3' 3"
3.5kg 7.7lb	9kg 19.8lb	16mm 5/8"	

Black aluminum stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**A0030CS**

**STEEL BABY STAND 30**

113cm 3' 8"	300cm 9' 10"	100cm 3' 3"	100cm 3' 3"
6kg 13.2lb	10kg 22lb	16mm 5/8"	

Chrome plated steel stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**A0035CS**

**STEEL BABY STAND 35**

126cm 4' 2"	350cm 11' 6"	112cm 3' 8"	100cm 3' 3"
7kg 15.4lb	9kg 19.8lb	16mm 5/8"	

Chrome plated steel stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.



A0040CS

**A0040B**

**ALU BABY STAND 40**

142cm 4' 8"	400cm 13' 1"	124cm 4' 1"	114cm 3' 9"
4kg 8.8lb	9kg 19.8lb	16mm 5/8"	

Black aluminum stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**A0045B**

**ALU BABY STAND 45**

154cm 5' 1"	450cm 14' 9"	136cm 4' 6"	114cm 3' 9"
4.1kg 9lb	10kg 22lb	16mm 5/8"	

Black aluminum stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**A0040CS**

**STEEL BABY STAND 40**

142cm 4' 8"	400cm 13' 1"	124cm 4' 1"	114cm 3' 9"
7.8kg 17.2lb	9kg 19.8lb	16mm 5/8"	

Chrome plated steel stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**A0045CS**

**STEEL BABY STAND 45**

154cm 5' 1"	450cm 14' 9"	136cm 4' 6"	114cm 3' 9"
8.1kg 17.9lb	9kg 19.8lb	16mm 5/8"	

Chrome plated steel stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm. 1 levelling leg.

**ALUMINUM**

**STEEL**

# COMBO STANDS

## A1020B ALU COMBO STAND 20

110cm 3' 7"	198cm 6' 6"	93cm 3' 1"	80cm 2' 7"	4.9kg 10.8lb
25kg 55.1lb	28mm 1 1/8"	16mm 5/8"	A9000NB	

Aluminum legs with aluminum risers.  
3 sections, 2 risers. Ø: 45, 40, 35mm.  
Leg: 25x25mm. 1 levelling leg.

## A1035B ALU COMBO STAND 35

168cm 5' 6"	350cm 11' 6"	142cm 4' 8"	134cm 4' 5"	7kg 15.4lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000NB	

Aluminum stand.  
3 sections, 2 risers. Ø: 45, 40, 35mm.  
Leg: 25x25mm. 1 levelling leg.

## A1045B ALU COMBO STAND 45

179cm 5' 11"	450cm 14' 9"	155cm 5' 1"	134cm 4' 5"	7kg 15.4lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000NB	

Aluminum stand.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25x25mm. 1 levelling leg.

## A120J STEEL LOW BOY COMBO STAND

101cm 3' 4"	198cm 6' 6"	93cm 3' 1"	80cm 2' 8"	7.8kg 17.2lb
35kg 77.1lb	25mm 1 1/8"	16mm 5/8"	A9000NB	

Chrome steel stand.  
3 sections, 2 risers.

### ALUMINUM

### STEEL

## A1010CS STEEL COMBO STAND 10

64cm 2' 1"	100cm 3' 3"	62cm 2'	57cm 22"	4.5kg 9.9lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.  
2 sections, 1 riser. Ø: 35, 30mm.  
Leg: 20x20mm. 1 levelling leg.

## A1020CS STEEL COMBO STAND 20

110cm 5' 7"	198cm 6' 6"	93cm 3' 1"	80cm 2' 8"	7.2kg 15.9lb
35kg 77.2lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.  
3 sections, 2 risers. Ø: 45, 40, 35mm.  
Leg: 25x25mm. 1 levelling leg.

## A1035CS STEEL COMBO STAND 35

168cm 5' 6"	350cm 11' 6"	142cm 4' 8"	134cm 4' 5"	12kg 26.5lb
40kg 88.2lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.  
3 sections, 2 risers. Ø: 45, 40, 35mm.  
Leg: 25x25mm. 1 levelling leg.

## A1045CS STEEL COMBO STAND 45

179cm 5' 11"	450cm 14' 9"	155cm 5' 1"	134cm 4' 5"	13kg 28.7lb
40kg 88.2lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25x25mm. 1 levelling leg.

PRODUCTS BELOW ARE AVAILABLE  
AS OPTIONAL ACCESSORIES



## A9000NB BRAKED WHEELS BLACK FINISH VERSION

3.3kg 7.3lb	90kg 198.4lb

Ø: 100mm for 20x20 and 25x25mm.  
Square legs. Set of three.



## D400 4 1/2" JUMBO GRIPHEAD

2.35kg 5.2lb	28mm 1 1/8"	28mm 1 1/8"

Designed to convert a junior stand into  
an overhead stand, the D400 incorporates  
a 4 1/2" / 10mm grip head with a junior  
stud and receiver.

## A9000N BRAKED WHEELS

## D400B 4 1/2" JUMBO GRIP HEAD BLACK FINISH VERSION



A1045B



A1045CS

# ROLLER STANDS

## FOLDING BASE WITH BABY PIN


### A5017

#### ROLLER STAND 17 FOLDING BASE

 108cm  
3' 7"  
 170cm  
5' 7"  
 98cm  
3' 3"  
 75cm  
2' 6"  
 5.5kg  
12.1lb

 12kg  
26.5lb  
 16mm  
5/8"

Legs and column in steel, risers in aluminum, complete with wheels.  
3 sections, 2 risers. Ø: 35, 30, 25mm.  
Leg: 20×20mm.



A5017

### A5033

#### ROLLER STAND 33 FOLDING BASE

 115cm  
3' 9"  
 330cm  
10' 10"  
 105cm  
3' 5"  
 75cm  
2' 6"  
 6.3kg  
13.9lb

 12kg  
26.5lb  
 16mm  
5/8"

Legs and column in steel, risers in aluminum, complete with wheels.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×40mm.



A5029

## LOW BASE WITH BABY PIN

### A5029

#### ROLLER STAND 29 LOW BASE

 125cm  
4' 1"  
 290cm  
9' 6"  
 123cm  
4'  
 100cm  
3' 3"  
 5.7kg  
12.6lb

 12kg  
26.5lb  
 16mm  
5/8"

Legs and column in steel, risers in aluminum, complete with wheels.  
3 sections, 2 risers. Ø: 35, 30, 25mm.  
Leg: 20×20mm.

### A5043

#### ROLLER STAND 43 LOW BASE

 146cm  
4' 10"  
 430cm  
14' 1"  
 135cm  
5' 5"  
 106cm  
3' 6"  
 6.3kg  
13.9lb

 12kg  
26.5lb  
 16mm  
5/8"

Legs and column in steel, risers in aluminum, complete with wheels.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm.

**FOLDING BASE WITH COMBO HEAD**

**A5012**  
**ROLLER STAND 12**  
**FOLDING BASE**

78cm 2' 7"	120cm 3' 11"	68cm 2' 3"	75cm 2' 6"	8kg 17.6lb
25kg 55.1lb	28mm 1 1/8"	16mm 5/8"		

Legs and column in steel, risers in aluminum, complete with wheels.  
 3 sections, 2 risers. Ø: 45, 40, 35mm.  
 Leg: 20x40mm.



**A5034**  
**ROLLER STAND 34**  
**FOLDING BASE**

142cm 4' 8"	340cm 11' 2"	132cm 4' 4"	75cm 2' 6"	10.7kg 23.6lb
20kg 44.1lb	28mm 1 1/8"	16mm 5/8"		

Legs and column in steel, risers in aluminum, complete with wheels.  
 4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
 Leg: 20x40mm.



**LOW BASE WITH COMBO HEAD**

**A5036CS**  
**ROLLER STAND 36**  
**LOW BASE**

156cm 5' 1"	309cm 10' 2"	130cm 4' 3"	140cm 4' 7"	13.6kg 30lb	40kg 88.2lb
28mm 1 1/8"	16mm 5/8"				

Chrome steel stand, complete with wheels.  
 3 sections, 2 risers. Ø: 45, 40, 35mm.  
 Leg: 25x25mm.

**A5042CS**  
**ROLLER STAND 42**  
**LOW BASE**

166cm 5' 5"	420cm 13' 9"	142cm 4' 8"	150cm 4' 11"	15.4kg 34lb
40kg 88.2lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand, complete with wheels.  
 4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
 Leg: 25x25mm.

# BOOM STANDS



## A4039CS STEEL BOOM STAND 39

131cm 4' 4"	392cm 12' 10"	113cm 3' 9"	109cm 3' 7"	8.4kg 18.5lb
12kg 26.5lb	16mm 5/8"			

Chrome steel stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm.  
1 levelling leg.

## A4041B ALU BOOM STAND 41

139cm 4' 7"	413cm 13' 7"	124cm 4' 1"	129cm 4' 3"	4.6kg 10.1lb
10kg 22lb	16mm 5/8"			

Supplied with sandbag counterweight (empty)  
for maximum stability and smoothness.  
Black aluminum stand.  
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.  
Leg: 20×20mm.  
1 levelling leg.  
Min extension boom 113cm (3' 8"). Max load 15kg (33.1lb).  
Max extension boom 213cm (7'). Max load 5kg (11lb).



**A4050CS**  
**STEEL BOOM STAND 50**

188cm 6' 2"	500cm 16' 5"	165cm 5' 5"	135cm 4' 5"	15kg 33.1lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25×25mm.  
1 levelling leg.  
Min extension boom 155cm (5' 1"). Max load 30kg (66.1lb).  
Max extension boom 266cm (8' 9"). Max load 8kg (17.6lb).

PRODUCTS BELOW ARE AVAILABLE  
AS OPTIONAL ACCESSORIES



**E700**  
**BABY DROP**  
**DOWN PIN**

0.62kg 1.4lb	16mm 5/8"	16mm 5/8"

For a more accurate light positioning: it helps keeping the light in horizontal position independently on the angle of the boom. Specifically designed to be used on boom arm with light attachment with 16mm pin.



**E710**  
**JUNIOR DROP**  
**DOWN PIN**

1.32kg 2.9lb	28mm 1 1/8"	28mm 1 1/8"	16mm 5/8"

Same as E700, designed to be used on boom arm with light attachment with 28mm bushing.



**A9000NB**  
**BRAKED WHEELS**  
**BLACK FINISH VERSION**

3.3kg 7.3lb	90kg 198.4lb

Ø: 100mm for 20×20 and 25×25mm.  
Square legs. Set of three.

**A9000N**  
**BRAKED WHEELS**

# WIND UP STANDS



## B6026CS WIND UP STAND 26

				
153cm 5'	261cm 8' 7"	173cm 5' 8"	152cm 5'	19kg 41.9lb
				
45kg 99.2lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.  
2 sections, 1 riser. Ø: 55, 45mm.  
Leg Ø: 30mm.  
1 levelling leg.



**B6030CS**  
**LOW BASE**  
**WIND UP STAND 30**

				
153cm 5'	296cm 9' 9"	175cm 5' 9"	142cm 4' 8"	17.8kg 39.2lb
				
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.  
 3 sections, 2 risers. Ø: 55, 45, 38mm.  
 Leg Ø: 30mm.  
 1 levelling leg.



**B6039CS**  
**WIND UP STAND 39**

				
181cm 5' 11"	370cm 12' 2"	201cm 6' 7"	142cm 4' 8"	24kg 52.9lb
				
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.  
 3 sections, 2 risers. Ø: 55, 45, 38mm.  
 Leg Ø: 30mm.  
 1 levelling leg.

# SUPER WIND UP STANDS

## B6029X STAINLESS LOW BASE SUPER WIND UP 29 STAND

				
140cm 4' 7"	290cm 9' 6"	156cm 5' 1"	130cm 4' 3"	34kg 75lb

	
80kg 176.4lb	28mm 1 1/8"

Stainless steel column and legs, chrome steel risers and geared column. 3 sections, 2 risers.  
Ø: 70, 60, 50mm. Leg: Ø 35mm. 1 levelling leg.  
Features braked wheels 474.



The codes B6029X, B6040X, B7018 are assembled using the foam fill wheels 474.

**B6040X**  
**STAINLESS STEEL**  
**SUPER WIND UP 40 STAND**

				
172cm 4' 8"	386cm 12' 8"	196cm 6' 5"	180cm 5' 11"	39kg 86lb
				
80kg 176.4lb	28mm 1 1/8"			

Heavy lift stand with strengthened stainless steel column and legs, chrome steel risers and geared column. 3 sections Ø: 70, 60, 50mm. 2 risers which extended simultaneously at 4.4cm (1 3/4") per handle turn. Safety cable ensures simultaneous retrieval of all sections. Rapid adjustment. Leg Ø 35mm. 1 levelling leg. Features braked wheels 474.



B6040X

**B6040XK**  
**STAINLESS STEEL**  
**SUPER WIND UP 40 STAND**

				
172cm 5' 8"	386cm 12' 8"	196cm 6' 5"	180cm 5' 11"	39kg 86lb
				
80kg 176.4lb	28mm 1 1/8"	474		

Heavy lift stand with strengthened stainless steel column and legs, chrome steel risers and geared column. 3 sections Ø: 70, 60, 50mm. 2 risers which extended simultaneously at 4.4cm (1 3/4") per handle turn. Safety cable ensures simultaneous retrieval of all sections. Rapid adjustment. Leg Ø 35mm. 1 levelling leg. Wheels not included.



B6040XK

# STRATO SAFE STANDS



B7018



B150-1

## B7018 STRATO SAFE STAND 18 WITH RUBBER FILLED WHEELS

105cm 3' 5"	175cm 5' 9"	126cm 4' 2"	120cm 3' 11"	27kg 59.5lb
100kg 220.5lb	28mm 1 1/8"			

Aluminum legs with chrome steel column.  
Features braked wheels.  
2 sections, 1 riser. Ø: 70, 60mm.  
Leg: 35×35mm.

## B150-1 STRATO SAFE CRANK-UP WITH HARD WHEELS

190cm 6' 3"	610cm 20'	225cm 7' 5"	213cm 7'	71kg 156.5lb
70kg 154.3lb	28mm 1 1/8"			


Aluminum legs with chrome steel column.  
Features braked wheels.  
5 sections, 4 riser. Ø: 90, 80, 70, 60, 50mm.  
Leg: 35×35mm.

## B150P-1 STRATO SAFE CRANK-UP WITH RUBBER FILLED WHEELS

201cm 6' 7"	621cm 20' 5"	236cm 7' 9"	213cm 7'	93.4kg 205.9lb
70kg 154.3lb	28mm 1 1/8"			

Aluminum legs with chrome steel column.  
Features braked wheels.  
5 sections, 4 riser. Ø: 90, 80, 70, 60, 50mm.  
Leg: 35×35mm.





B7043CS-1

**B7043CS-1**  
**STRATO SAFE STAND 43**

155cm 5' 1"	427cm 14'	185cm 6' 1"	182cm 6'
60kg 132.3lb	70kg 154.3lb	28mm 1 1/8"	

Chrome steel stand.  
Features braked wheels  
4 sections, 3 risers. Ø: 90, 80, 70, 60mm.  
Leg: 35×35mm.



**B7047CS-1**  
**STRATO SAFE STAND 47**

172cm 5' 8"	467cm 15' 4"	209cm 6' 10"	213cm 7'	62kg 136.7lb
70kg 154.3lb	28mm 1 1/8"			

Chrome steel stand complet. Features braked wheels.  
3 sections, 2 risers. Ø: 90, 80, 70mm.  
Leg: 35×35mm.  
Included Wind Brace Kit B9000W.



**B9000P**  
**RUBBER FILLED WHEEL SET FOR STRATO SAFE**

Set of 3 rubber filled, braked wheels.

**B9000**  
**HARD WHEEL SET FOR STRATO SAFE**

10kg 22lb	70kg 154.3lb

Set of 3 hard, braked wheels.



**B70XXFFW**  
**FOAM FILLED WHEEL SET FOR STRATO SAFE**

Set of 3 foam filled, braked wheels.

# BUCCANEER



Docking plate for magnetic remote control.



Junior 1 1/8" receiver.



Three swivelling, lockable wheels for easy manoeuvrability.



Dual crank handles for speed.



Twin mini castors for easy transporting.



Braked foam filled wheels for multi terrain use.



Lighting ballast mounting point.



Three adjustable leveling legs.



Low-loading height of only 94cm.



**B7030FF**  
**BUCCANEER STAND**

				
94cm 3' 1"	300cm 9' 10"	94cm 3' 1"	187cm 6' 2"	75kg 165.4lb
				
80kg 176.4lb	28mm 1 1/8"			

Heavy duty stand. 4 sections, 3 risers.  
Low-loading height of 94cm / 3' 1"



# BANSHEE



Junior 1 1/8" receiver.



Safety lock for controlled raising and lowering.



Dual crank handles and chain driven column.



Adjustable levelling leg for uneven ground.



Dual ergonomic transportation handles.



Braked foam filled tyres for multi terrain use.



Adjustable levelling leg.



Durable black anodized and powder coat finish.



**B7034FF-2**  
**BANSHEE STAND**

-  135cm  
4' 5"
-  337cm  
11' 1"
-  64cm  
2' 1"
-  160cm  
5' 3"
-  82kg  
180.8lb
-  120kg  
264.6lb
-  28mm  
1 1/8"

Heavy duty stand. 4 sections, 3 risers.  
Low-loading height of 135cm / 4' 5"

# LONG JOHN SILVER STANDS



**B7057FF**

**LONG JOHN SILVER  
STAND WITH FOAM  
FILLED WHEELS**

-  177cm  
5' 10"
-  570cm  
18' 8"
-  224cm  
7' 4"
-  240cm  
7' 11"
-  85kg  
187.4lb
-  120kg  
264.6lb
-  28mm  
1 1/8"

Heavy duty stand complete with foam fill  
braked wheels, 5 sections, 4 risers.  
Includes 'Wind Brace Kit'.



# OVERHEAD STANDS

## A3042CS

### OVERHEAD STAND 42

143cm 4' 8"	423cm 13' 11"	135cm 4' 5"	129cm 4' 3"	11.8kg 26.6lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"	A9000N	

Chrome steel stand.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25×25mm.

## A3059CS

### OVERHEAD STAND 59

177cm 5' 10"	588cm 19' 4"	167cm 5' 6"	129cm 4' 3"	14kg 30.9lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"	A9000N	

Chrome steel stand.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25×25mm.

A3059CS



## STANDARD BASE

## A3043CS

### OVERHEAD STAND 43 WITH BRAKED WHEELS

153cm 5'	432cm 14' 2"	150cm 4' 11"	154cm 5' 1"	16kg 35.3lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"		

Chrome steel stand complete with braked wheels.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25×25mm.

## A3058CS

### OVERHEAD STAND 58 WITH BRAKED WHEELS

186cm 6' 1"	579cm 19'	182cm 6'	154cm 5' 1"	18.3kg 40.3lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"		

Chrome steel stand complete with braked wheels.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25×25mm.



A3058CS

## ROLLER BASE

### A3056CS

## WIDE BASE OVERHEAD STAND 56

				
199cm 6' 6"	557cm 18' 3"	195cm 6' 5"	196cm 6' 5"	16.8kg 37lb
				
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"	A9000N	

Chrome steel stand.  
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.  
Leg: 25×25mm.  
1 levelling leg.

### A3065CS

## WIDE BASE OVERHEAD STAND 65

				
189cm 6' 2"	638cm 20' 11"	197cm 6' 6"	204cm 6' 8"	21.4kg 47.2lb
				
30kg 66.1lb	28mm 1 1/8"	115mm 4 1/2"		

Chrome steel stand.  
4 sections, 3 risers. Ø: 50, 45, 40, 35mm.  
Leg: 30×30mm.  
2 levelling legs.



A3065CS

# ACCESSORIES STANDS



**C626**  
LONG STEEL STAND  
EXTENSION



1.89kg 28mm 16mm 28mm  
4.2lb 1 1/8" 5/8" 1 1/8"

Chrome length plated steel extension.  
Length 52cm (21").



**C624**  
MEDIUM STEEL STAND  
EXTENSION



1.72kg 28mm 16mm 28mm  
3.8lb 1 1/8" 5/8" 1 1/8"

Chrome length plated steel extension.  
Length 39cm (15").



**C622**  
SMALL STEEL STAND  
EXTENSION



1.59kg 28mm 16mm 28mm  
3.5lb 1 1/8" 5/8" 1 1/8"

Chrome length plated steel extension.  
Length 28cm (11").



**C590**  
CONKA BONKA



28mm 28mm  
1 1/8" 1 1/8"

Set of 3 Cine extensions.

Long version:  
Extension 68cm (2' 3")  
Total length 79cm (2' 7")  
Weight 1.75kg (3.86lb)

Medium version:  
Extension 27cm (11")  
Total length 39cm (1' 3")  
Weight 1.25kg (2.76lb).

Short version:  
Extension 15cm (6")  
Total length 27cm (11")  
Weight 1.09kg (2.40lb).



**027**  
STAND HOLDER



2.8kg  
7.5lb

Holder for 8 light stands. Width: 115cm (3' 9").  
Distance between fixing holes: 64.4cm (2ft 1").  
Depth: 19cm (8").



**087WBK**  
WIND-BRACING KIT

3 rope wind-bracing kit.  
Length: 1000cm (32' 10").



**A9000NB**  
BRAKED WHEELS  
BLACK FINISH VERSION



3.3kg  
7.3lb



90kg  
198.4lb

Ø: 100mm for 20×20 and 25×25mm.  
Square legs. Set of three.

**A9000N**  
BRAKED WHEELS



**G100-2**  
SMALL SAND BAG



6kg  
13.3lb



**G300**  
EXTRA LARGE SAND BAG



35kg  
77.2lb

**G200-1**  
LARGE SAND BAG




10kg  
22lb

Please note sand bags are sold empty.

# LIGHT CONTROL






# LIGHT CONTROL

## FABRIC SPECIFICATION

FABRIC	LIGHT LOSS	RIM COLOUR
Black Commando (Solid)	100%	Black
Black Double Scrims	1.5 Stops	Red
Black Triple Scrims	2.9 Stops	Black

### LIGHT LOSS

The chart shows the light loss of an incandescent light source. The main light reading is 32.9/10 F Stop. The light loss has been calculated positioning the luxmeter at 2m (6' 7") from the light source and the textile halfway between them.



### HIGH QUALITY

Every item is made with care for all details from cutting to sewing of the material to the frame. A special design of the frame allows perfect 90° corners without losing elasticity of the frame. All our scrims are made using high temperature resistance webbing. We used a colour code system to easily identify the different kind of textile.

### SPARE PARTS

The unique design of our scrims and flags allows them to be repaired easily. A velcro locking system fixes the cover to the frame while a built in pin maintains the perfect tension in the steel wire. To order spare part covers for scrims and flags add the letter "R" in front of the order code. I.e. RI600B is the spare part cover for the item I600B Solid Black Flag.

### LABELLING

A label sewn close the handle will tell you the dimension of the frame in inches and centimetres.

## SCRIMS

Made of steel spring tube combined with unique fabrics our Scrims are light, strong and cut light with great effect. To achieve the ideal positioning Avenger provides a complete grip head system. All textiles are also sold separately as spares in case your originals become damaged.

Fabric	Size	18×24"	24×36"
		45×60cm	60×90cm


Black Double Scrim	I650D	I750D
Black Triple Scrim	-	I750T



**I650D**  
BLACK DOUBLE SCRIM  
18×24" / 45×60cm



850g  
1.9lb



**I750D**  
BLACK DOUBLE SCRIM  
24×36" / 60×90cm



800g  
1.8lb



**I750T**  
BLACK TRIPLE SCRIM  
24×36" / 60×90cm



800g  
1.8lb

## SOLID BLACK FLAGS

Made of steel spring tube combined with unique fabrics our Solid Black Flags are light, strong and cut light with great effect. To achieve the ideal positioning, Avenger provides a complete grip head system. All textiles are also sold separately as spares in case your originals become damaged.

Fabric	Size	12×18" 30×45cm	18×24" 45×60cm	24×30" 60×75cm	24×36" 60×90cm	48×48" 120×120cm
Solid Black Flag		I600B	I650B	I700B	I750B	I1024



**I600B**  
SOLID BLACK FLAG  
12×18" / 30×45cm

 600g  
1.3lb



**I650B**  
SOLID BLACK FLAG  
18×24" / 45×60cm

 850g  
1.9lb



**I700B**  
SOLID BLACK FLAG  
24×30" / 60×75cm

 1.2kg  
2.2lb



**I750B**  
SOLID BLACK FLAG  
24×36" / 60×90cm

 1.1kg  
2.5lb



**I1024**  
SOLID BLACK FLAG  
48×48" / 120×120cm

 3kg  
6.6lb

## LIGHT CONTROL

### FLOPPIES AND CUTTERS

Fabric	Code	Size
Meat Axe Flag	I1010	30×36" / 90×75cm
Cutter	I1021	18×48" / 46×120cm
Cutter	I1023	40×40" / 102×102cm
Floppy Cutter	I1031	48×48" / 120×120cm

To order spare part covers for floppies and cutters add the letter "R" in front of the order code. I.e. RI1021, is the spare part cover for the item I1021 CUTTER 18×48".



All our flags, floppies and cutters are made using a strong webbing all around the frame, to protect the edges from wear.



**I1010**  
**MEAT AXE FLAG**  
30×36" / 90×75cm



800g  
1.8lb



**I1021**  
**CUTTER**  
18×48" / 46×120cm



Made of Black Commando fabrics, Cutters and Floppies stop light completely and are used to control or cut illumination sources, whether natural or artificial. They can also be used to protect camera lenses from flare.



**I1023**  
**CUTTER**  
40×40" / 102×102cm



800g  
1.8lb



**I1031**  
**FLOPPY CUTTER**  
48×48" / 120×120cm



800g  
1.8lb



**Floppies Cutters** are made with an additional piece of fabric, which is fixed with velcro and can be unfolded, becoming twice its original size.

## LIGHT CONTROL



### F1501 30MM / 1.2" POLYHOLDER

800g  
1.8lb

16mm  
5/8"

A foamcore support clamp to enable precise positioning. Mounts via a 16mm / 5/8" socket.



### F1521 50MM / 2" POLYHOLDER WITH 16MM SPIGOT

2kg  
4.4lb

16mm  
5/8"

The polyholder has a 16mm / 5/8" spigot. The "board" clamp has two sides, one white for the reflective side of the polystyrene; one black for the black lightstopping side. It doesn't damage the poly. Plate dimensions: 15x22cm / 6x9".



### D750 40MM / 1.6" TELESCOPIC POLYHOLDER

2.5kg  
5.5lb

15mm  
33.1lb

16mm  
5/8"

Max size holding: 156cm / 5' 1".  
Folded length: 91cm / 3'.  
Polystyrene is one of the most popular light bouncers, but it's not the easiest material to handle. Our Polyholder gives you total control. It grips any thickness and is telescopic to hold most full sheet sizes; then just fixes into the lighting Grip Head D200 mounted on a stand or clamp.




### F1504 FOAMCORE FORK 16MM PIN

250g  
0.6lb

16mm  
5/8"

Similar to the F1501, but includes four pointed pins to mount thicker foam core or gator-board. Mounts via a 16mm / 5/8" pin.



### 143F FORK

140g  
0.3lb

Fork attachment for styrene gobos: supplied with 1/4" and 3/8" female attachment. Size 12.5x20cm / 5x8".



### D340 CAMERA FLEXTENTION KIT

600g  
1.3lb

Flextension Arm, with 2 Mini Clamps, 3/8" Adapter, 10mm Socket Adapter, Black Plastic Flag.



### I8030CB MOUNTING STIRRUP FOR 40" REFLECTOR BOARD

2.5kg  
5.5lb

16mm  
5/8"

Will fit reflector board from 5mm / 1/4" to 25mm / 1" thickness. Board not supplied.



### D705B LONG COLLAPSIBLE REFLECTOR HOLDER

800g  
1.8lb

16mm  
5/8"

Long Extension Arm.  
Max Length: 185cm / 6' - Min Length: 66cm / 2' 2".



### D700B COLLAPSIBLE REFLECTOR HOLDER

700g  
1.5lb

16mm  
5/8"

Extension Arm.  
Max length: 122cm / 4' - Min length: 47cm / 1' 7".

## FOLD AWAY FRAME

Code	Frame Size	Tube Thickness	Frame Support	Transport Dimension	Weight
H2006	183×183cm / 6×6'	2mm	Ear Type 2	192×15×3cm	6.6kg / 14.6lbs
H2008	244×244cm / 8×8'	2mm	Ear Type 2	253×15×3cm	11.3kg / 24.9lbs
H2010	366×244cm / 12×8'	2mm	Ear Type 2	374×15×3cm	14.4kg / 31.7lbs
H2012	366×366cm / 12×12'	2mm	Ear Type 2	374×15×3cm	17.6kg / 38.8lbs



**FOLD-OUT AND SET UP**  
Just fix the frame holder and it is ready to mount!  
To order Ear support alone use code RH02015.

**FOLD-DOWN AND BRING UP**  
Need to move the frame quickly from set to set? No problem, just remove the frame holder, fold down the frame and carry the frame with the textile still fitted!



## FOLD AWAY FRAME COMPACT

Code	Frame Size	Tube Thickness	Frame Support	Transport Dimension	Weight
H2508	244X244cm / 8×8'	2mm	Ear Type 2	130×17×9cm	13kg / 28.7lbs
H2512	366×366cm / 12×12'	2mm	Ear Type 2	191×17×9cm	16kg / 35.3lbs



**FOLD-DOWN AND BRING UP**  
Fold Away Compact is the evolution of the standard version. A locking mechanism allows the frame to be folded even smaller for even easier transportation.



## LIGHT CONTROL


### LIGHTWEIGHT FRAME

The Avenger Fast-Loc Frame kit is lightweight and quick to set up. The square section aluminum tubes slide and lock together to provide a strong frame which supports lighting control textiles of (6'x6' in size).

Code	Frame Size	N. of tubes per side	Tube Length x Thickness	Tube Connection	Frame Support	Weight	Optional Frame Bag
H660	183x183cm / 6x6'	1	1205x1.4mm	Insert	Stud Type x2	6.9kg / 15.2lbs	H6BAG



Stud Type (code RH01051).



The Manfrotto Butterfly Frames uses two methods of support. Ear and Stud as illustrated.



Ear Type (code RH01016).



Insert tube connection.

### MODULAR FRAMES

Heavy Duty 3mm square section tubes-slot and pin-lock together, rapidly providing a stable frame for lighting control textiles. By reducing or adding tubes you can create any frame size.

Code	Frame Size	N. of tubes per side	Tube Length x Thickness	Tube Connection	Frame Support	Weight	Optional Frame Bag
H600M	183x183cm / 6x6'	1	1205x3mm	Pin	Ear Type x2	11.4kg / 25.1lbs	H6BAG
H800M	244x244cm / 8x8'	2	1205x3mm	Pin	Ear Type x2	13.6kg / 30lbs	H6BAG
H1200M	366x366cm / 12x12'	3	1205x3mm	Pin	Ear Type x2	19kg / 41.9lbs	H6BAG
H2000M	610x610cm / 20x20'	5	1205x3mm	Pin	Ear Type x2	32.6kg / 71.9lbs	H6BAG



## D.I.Y. BUTTERFLY PIPE CORNER KIT

Pipe specifications for use with the D.I.Y Butterfly Pipe Corner Kit.

Code	Nominal Bore	Outer Diameter
H9000	38mm / 1 1/2"	48.3mm / 1 29/32"


This kit gives you the possibility of making frames of any dimension, using standard aluminum pipes.



Pipe connection.



# SYSTEMS





# SYSTEM PROPERTIES



## Gravity Casting

All the strategic aluminum components which have to guarantee safety of the product are made using the Gravity Casting technology. This process excludes any possibility of having air bubbles getting into the casting.

500kg 1102lb	<b>C4460-1*</b> ø 42-52mm 	<b>C4469</b> ø 42-52mm 	
300kg 661lb		<b>C345-1</b> <b>C345K-1</b> (Illustrated) 	<b>C345BK-1</b> 
250kg 551lb			<b>C100</b> ø 20-55mm 
200kg 441lb	<b>C460-1</b> ø 13 mm 	<b>C4560-1</b> ø 12.5mm 	<b>C465-1</b> 
150kg 331lb	<b>C339*</b> ø 40-65mm 		
100kg 221lb			<b>C337</b> ø 40-70mm 
75kg 165lb			<b>C339UH</b> ø 40-65mm 
50kg 110lb		<b>C339BB</b> ø 40-65mm	<b>C150</b> ø 28-78mm 
40kg 88lb			
15kg 33lb		<b>C1575</b> <b>C1575B</b> ø 13-55mm 	<b>C1550</b> ø 13-55mm 
10kg 22lb		<b>C500</b> ø 15-80mm 	

Max Load

Spigot / Socket Type

  
12.5mm\* or 14mm\*\*  
hole

  
Female  
16mm - 5/8"

  
Female  
28mm - 1" 1/8



**Quick Action Device**

This mechanical concept allows an incredible speed in locking and unlocking the clamp's jaws. The Quick Action line of clamps consists of four models that in dimension, load capacity (up to 100kg / 220.5lbs) and coupling range (up to 50mm / 2").



**Multifix**

The Multifix feature of the "System" product family offers an incredible range of different attachments. Thanks to the Multifix system the user can hang the product in a various ways. The clamps are manufactured with multi attachment points or a single attachment point. Available with a variety of different fixing accessories.

					500kg 1102lb
<b>C4564-1</b> ø 48-52mm <b>C464-1</b> <b>C4464-1</b>	<b>C4462-1</b>	<b>C4461-1</b>		<b>C4463-1</b> ø 48-52mm	300kg 661lb
		<b>C4465-1</b>			250kg 551lb
	<b>C462-1</b>	<b>C461-1</b> ø 48-52mm		<b>C463-1</b>	200kg 441lb
			<b>C339SP</b> ø 40-65mm		150kg 331lb
	<b>C210</b> ø 10-55mm				100kg 221lb
	<b>C339UH</b> ø 40-65mm				75kg 165lb
	<b>C338</b> ø 20-52mm				50kg 110lb
					40kg 88lb
					15kg 33lb
	<b>C150</b> ø 28-78mm	<b>C500</b> ø 15-80mm			10kg 22lb

●  
M12

●  
Male  
16mm - 5/8"

●  
Male  
28mm - 1 1/8"


●  
Pulley

●  
Eyebolt

**C1575B**  
**SUPER CLAMP**

-  450g  
1lb
-  15kg  
33.1lb
-  16mm  
5/8"
-  1/4"

Ideal clamp for cine, broadcast or lighting and entertainment applications. Clamping system achieved via a metal knob ensuring extra solidity. Works on diameters from 13mm to 55mm.





**C1575**  
**SUPER CLAMP**  
 CHROME FINISH VERSION

**C1550**  
**HEAVY DUTY**  
**SUPER CLAMP**

-  450g  
1lb
-  15kg  
33.1lb
-  16mm  
5/8"
-  1/4"
- 



Extra tough version of the Super Clamp made using our gravity cast process that performs under the heaviest use in extreme environments. Works on diameters from 13mm to 55mm.



**C1525**  
**SKY HOOK**

-  800g / 18lb
-  16mm / 5/8"
-  16mm / 5/8"



Gaffer grip with adjustable jaws.  
Grips on diameters from 25mm to 65mm.



**C500**  
**PELICAN**  
**GAFFER GRIP**

-  1.4kg / 3.1lb
-  10kg / 22lb
-  16mm / 5/8"
-  16mm / 5/8"
-  16mm / 5/8"
- 

Grips on diameters from 15mm to 80mm.



**C155**  
**SAFETY CABLE**

Diameter 4mm. Length 100cm / 3' 3".

**C155-01**  
**SAFETY CABLE**

Diameter 3.5mm. Length 70cm / 2' 4".

**C155-02**  
**SAFETY CABLE**

Diameter 5mm. Length 70cm / 2' 4".




# CLAMP SYSTEM

## C100

### JUNIOR PIPE CLAMP WITH 28MM SOCKET

-  210g  
0.5lb
-  250kg  
551.2lb
-  28mm  
1 1/8"
- 

Works on diameters from 20mm to 55mm.




## C210

### BABY PIPE CLAMP WITH 16MM STUD

-  620g  
1.4lb
-  100kg  
220lb
-  16mm  
5/8"
- 

Works on diameters from 10mm to 55mm.




**C150**  
**SWIVELLING**  
**"C" CLAMP**

-  1.6kg
-  10/75kg\*
-  28mm
-  16mm
-  GC

3.5lb    22lb/165.3lb    1" 1/8"    5/8"

Works on diameters from 28mm to 78mm.

\* 10kg / 22lb on 16mm / 5/8" attachment,  
 75kg / 165.3lb on 28mm / 1 1/8" attachment.



# CLAMP SYSTEM

## C337

### 28MM BUSHING QUICK ACTION JUNIOR CLAMP



1.43kg  
3.2lb





100kg  
220.5lb



28mm  
1 1/8"

Made in gravity cast aluminum, this clamp is ideal to hang all types of luminaires in TV studios and theaters. Its incredible "coupling range" sets almost no limitations to its capability to clamp to almost all the industry standard pipe diameters. To meet all safety requirements, we have designed a dedicated slot for flexible steel safety cables. Supplied with T-top padded handle to improve grip. Pipe size 40-70mm.



## C338

### 16MM PIN QUICK ACTION BABY CLAMP



900g  
2lb





50kg  
110.2lb



16mm  
5/8"

Very slim and lightweight, this version has been designed for small luminaires, virtually unlimited in application. To meet all safety requirements, we have designed a dedicated slot for flexible steel safety cables. Pipe size 20-52mm.




**C345-1**  
**BARREL CLAMP**

-  900g / 2lb
-  40/300kg\* / 88.2lb / 661.4lb
-  28mm / 1 1/8"
-  16mm / 5/8"
-  16mm / 5/8"
-  1/4"
-  GC

Works on diameters from 42mm to 52mm.

\* 40kg / 88.2lb on 16mm / 5/8" attachment, 300kg / 661.4lb on 28mm / 1 1/8" attachment.




**C345K-1**  
**BARREL CLAMP AND KNOB**

-  950g / 2.1lb
-  40/300kg\* / 88.2lb / 661.4lb
-  28mm / 1 1/8"
-  16mm / 5/8"
-  16mm / 5/8"
-  1/4"
-  GC

Works on diameters from 42mm to 52mm.


\* 40kg / 88.2lb on 16mm / 5/8" attachment, 300kg / 661.4lb on 28mm / 1 1/8" attachment.



**C345BK-1**  
**BARREL CLAMP AND KNOB**  
 BLACK FINISH VERSION



# CLAMP SYSTEM



Clamp Range: 40mm to 65mm

Clamp Range: 36mm to 47mm

Clamp Range: IPE 80 to IPE 160  
HEB 80 to HEB 160

The Grab Clamp is flexible and fast to use thanks to its pincer jaw design and rapid locking and release mechanism. It can be fixed to a wider range of supports than traditional clamps and is suitable for use in TV, video and photographic studios, theatres and rigging structures.

The Grab Clamp will hold all kinds of lights, scenery, monitors and much more besides.

The Grab Clamp has been designed to be mounted on a wide range of beams, pipes and bars, whether round, square or rectangular in section. It needs no adapter - just open and clamp it.

## C339 GRAB CLAMP

- 1.2kg / 2.6lb
- 150kg / 330.7lb
- 12.5mm hole

Supplied without attachment, but with a 12.5mm hole for custom fixings.



## C339BB GRAB CLAMP WITH 16MM BUSHING

- 1.35kg / 3lb
- 50kg / 110.2lb
- 28mm / 1 1/8"

Comes with 16mm bushing complete with push button for extra-safe attachment.



**C339UH**  
**DOUBLE**  
**GRIP HEAD**

			
1.95kg 4.3lb	75kg 165.3lb	28mm 1 1/8"	16mm 5/8"

Provided with a universal fixed (non-rotating) head.




**C339SP**  
**GRAB CLAMP**  
**WITH SPINNING PULLEY**

		
1.65kg 3.6lb	150kg 330.7lb	Pulley

Fitted with a 100mm diameter pulley to offer a quick and robust hanging point ideal for TV and theatre.



# LP EYE COUPLER SYSTEM



LP (Low Profile) Eye Couplers are safe, easy to use and lightweight with the reliability and high performance that you expect from Avenger. The new high-performance Eye Coupler range has been developed with professional users needs in mind. Improved safety, full TUV certification, optimised ergonomic and unique design are the key features of new Eye Couplers developed for professionals in entertainment and film industries.



## C460-1 LP EYE COUPLER

-   
 360g  
0.8lb
-   
 220kg  
485lb
-   
 13mm  
hole

The base model of LP EYE COUPLER for any customised application.



## C461-1 LP EYE COUPLER WITH 28MM TV SPIGOT

-   
 570g  
1.3lb
-   
 220kg  
485lb
-   
 28mm  
1 1/8"

Supplied with 28mm spigot for TV / broadcast luminaires.



## C462-1 LP EYE COUPLER WITH 16MM SPIGOT

-   
 410g  
0.9lb
-   
 220kg  
485lb
-   
 16mm  
5/8"

Designed with 16mm spigot suitable for lightweight luminaires.



## C463-1 LP EYE COUPLER WITH LIFTING RING

-   
 550g  
1.2lb
-   
 220kg  
485lb
-   
 Eyebolt

Provided with lifting ring for multipurpose use with chains, wires and ropes.





#### C464-1

### LP EYE COUPLER WITH M12 BOLT PLUS NUT

 400g 0.9lb   
  300kg 661.4lb   
  M12×27

Supplied with M12 bolt and nut for custom solutions.



#### C465-1

### LP EYE COUPLER WITH 28MM BUSHING

 840g 1.3lb   
  220kg 485lb   
  28mm 1 1/8"

Designed with 28mm bushing suitable for 2K+stirrup luminaires.



#### C481-1

### 90° FIXED LP EYE COUPLER

 760g 1.7lb   
  300kg 661.4lb

Twin couplers fixed at 90° for firm, quick and easy interconnection for truss, bars or pipes.




#### C482-1

### SWIVEL LP EYE COUPLER

 760g 1.7lb   
  300kg 661.4lb

Twin couplers free to rotate 360° for firm, quick and easy interconnection for truss, bars or pipes.

# MP EYE COUPLER SYSTEM



MP (Multi Purpose) Eye Couplers: wider clamp range from 42 to 52mm and special flattened shape of lower jaw.



## C4460-1 MP EYE COUPLER



390g 300kg 12.5mm  
0.9lb 661.4lb hole

The base model of MP Eye Coupler for any customised application.



## C4461-1 MP EYE COUPLER WITH 28MM TV SPIGOT



600g 300kg 28mm  
1.3lb 661.4lb 1 1/8"

Supplied with 28mm spigot for TV / broadcast luminaires.



## C4462-1 MP EYE COUPLER WITH 16MM SPIGOT




440g 300kg 16mm  
1lb 661.4lb 5/8"

Designed with 16mm spigot suitable for lightweight luminaires.



## C4463-1 MP EYE COUPLER WITH LIFTING RING



580g 300kg Eyebolt  
1.3lb 661.4lb

Provided with lifting ring for multipurpose use with chains, wires and ropes.



## C4464-1 MP EYE COUPLER WITH M12 BOLT PLUS NUT



430g 300kg M12x27  
0.9lb 661.4lb

Twin couplers fixed parallel for firm, quick and easy interconnection for truss, bars or pipes.



## C4465-1 MP EYE COUPLER WITH 28MM BUSHING



870g 250kg 28mm  
1.9lb 485lb 1 1/8"

Designed with 28mm bushing suitable for 2K+ stirrup luminaires.






**C4469**  
**MP EYE COUPLER WITH  
 16MM BUSHING**

		
520g 1.1lb	500kg 1102.3lb	16mm 5/8"

Supplied with 16mm spigot for light fixing accessories.



**C4482**  
**SWIVEL  
 MP EYE COUPLER**


810g 1.8lb

Twin couplers free to rotate 360° for firm, quick and easy coupling of trusses, bars or pipes.



**C4485**  
**MP EYE COUPLER SWIVEL  
 AND TILT TRUSS  
 SUPPORT 150-250**

	
2,78kg 6.1lb	28mm 1 1/8"


Truss Support Coupler with a tilt/swivel connection to the stand pin. It avoids torsion and mounting problems when lifting a truss using two stands simultaneously. Min. Length 15cm / 6". Max. Length 25cm / 10".

**C4486**  
**MP EYE COUPLER SWIVEL  
 AND TILT TRUSS  
 SUPPORT 200-400**

	
2,85kg 6.3lb	28mm 1 1/8"

Min. Length 200mm / 7.9". Max. Length 400mm / 15.7".

# MP EYE COUPLER SYSTEM



MP (Multi Purpose) Slim Eye Couplers: same features as MP coupler but narrower in profile and lighter in weight.



## C4560-1 SLIM MP EYE COUPLER

-  260g  
0.6lb
-  180kg  
396.8lb
-  12.5mm  
hole

The base model of MP. Slim, light version Eye Coupler.



## C4564-1 SLIM MP EYE COUPLER 12MM BOLT + NUT

-  300g  
0.6lb
-  300kg  
661.4lb
-  M12x27mm

Supplied with M12 bolt and nut for custom solutions.





# TELESCOPIC HANGER SYSTEM

## C825 TELESCOPIC HANGER WITH UNIVERSAL HEAD

					
121cm 3' 12"	201cm 6' 7"	5.1kg 11.2lb	10/40kg 22/ 88.2lb	28mm 1 1/8"	16mm 5/8"

Max load with 16mm / 5/8" spigot, 10kg / 22lb.  
Max load with 28mm / 1 1/8" socket, 40kg / 88.2lb.

## C827 LONG TELESCOPIC HANGER WITH UNIVERSAL HEAD

					
212cm 6' 11"	381cm 4' 11"	6.8kg 15lb	10/40kg 22/ 88.2lb	28mm 1 1/8"	16mm 5/8"

Max load with 16mm / 5/8" spigot, 10kg / 22lb.  
Max load with 28mm / 1 1/8" socket, 40kg / 88.2lb.

## C820 TELESCOPIC HANGER WITH STIRRUP

			
117cm 3' 10"	197cm 6' 6"	5.4kg 11.9lb	40kg 88.2lb

Luminaire attachment - Stirrup Ø 40mm.

## C822 LONG TELESCOPIC HANGER WITH STIRRUP

			
210cm 6' 11"	379cm 12' 5"	6.8kg 15lb	40kg 88.2lb

Luminaire attachment - Stirrup Ø 40mm.



**C888UH**

**TELESCOPIC HANGER  
WITH UNIVERSAL HEAD**

					
76cm 2' 6"	161cm 5' 3"	5.6kg 12.3lb	10/40kg 22/ 88.2lb	28mm 1 1/8"	16mm 5/8"

Max load with 16mm / 5/8" spigot, 10kg / 22lb.  
Max load with 28mm / 1 1/8" socket, 40kg / 88.2lb.



# LIGHTING BOOMS SYSTEM



## D570 EXTENSION ARM WITH SWIVEL PIN

1.1kg 16mm  
2.4lb 5/8"

Arm length: 91cm / 2' 12".  
16mm / 5/8" female stand attachment.



## D600 MINI BOOM

3.6kg 16mm  
7.9lb 5/8"

Min extension 117cm / 3' 10".  
Max load 30kg / 66.1lb.  
Max extension 212cm / 6' 11".  
Max load 7kg / 15.4lb.  
16mm / 5/8" female stand attachment.

## D600CB MINI BOOM BLACK CHROME FINISH VERSION



## D650 JUNIOR BOOM ARM

14.8kg 28mm 16mm  
32.6lb 1 1/8" 5/8"

Min extension 163cm / 5' 4".  
Max load 40kg / 88.2lb.  
Max extension 300cm / 9' 10".  
Max load 10kg / 22lb.  
28mm / 1 1/8" male stand attachment.

PRODUCTS BELOW ARE AVAILABLE AS OPTIONAL



**172**  
MINI  
COUNTERWEIGHT

  
1.3kg  
2.9lb



**023**  
L-PESO

  
4.3kg  
9.5lb

**022**  
G-PESO

  
6.7kg  
14.8lb




# AUTOPOLE SYSTEM AUTOPOLE

Unique cantilever single action locking system exerts pressure to securely wedge the rubber suction cup ends in place. Cantilever system incorporates safety lock. Floor to ceiling, or wall to wall fixing for strong vertical or horizontal support of lighting.


## LOADING LIMITS

The following figures are valid for use with rigid floors and ceilings, and with the protection-cups mounted on the suction-cups.



F0: maximum axial load  
 F1: maximum load with 0.5m (19.5") arm  
 F2: maximum load with 1m (39") arm

Models	Load		
	F0	F1	F2
032	30kg / 66lb	30kg / 66lb	15kg / 33lb
076	30kg / 66lb	30kg / 66lb	15kg / 33lb
077	30kg / 66lb	30kg / 66lb	15kg / 33lb
432-2.7	24kg / 52lb	24kg / 52lb	12kg / 26lb
432-3.7	24kg / 52lb	24kg / 52lb	12kg / 26lb



Models	Load
	F
032	20kg / 44lb
076	20kg / 44lb
077	20kg / 44lb
432-2.7	20kg / 44lb
432-3.7	20kg / 44lb

## 077 AUTOPOLE

1.5kg  
3.3lb

Extends from 100cm / 3' 3" to 170cm / 5' 7".  
 Pole Ø: 45mm and 40mm.

## 077B AUTOPOLE BLACK FINISH VERSION

## 076 AUTOPOLE

1.83kg  
4lb

Extends from 150cm / 4' 11" to 270cm / 8' 10".  
 Pole Ø: 45mm and 40mm.

## 076B AUTOPOLE BLACK FINISH VERSION

## 032 AUTOPOLE

2.2kg  
4.9lb

Extends from 210cm / 6' 11" to 370cm / 12' 2".  
 Pole Ø: 45mm and 40mm.

## 032B AUTOPOLE BLACK FINISH VERSION



077

076

032

**432-2.7**  
**AUTOPOLE 2**



2.23kg  
4.9lb

Two position variable thrust.  
Extends from 150cm / 4' 11" to 270cm / 8' 10".  
Pole Ø: 45mm and 40mm.

**432-2.7B**  
**AUTOPOLE 2**  
BLACK FINISH VERSION

**432-3.7**  
**AUTOPOLE 2**



2.6kg  
5.7lb

Two position variable thrust. Extends  
from 210cm / 6' 11" to 370cm / 12' 2".  
Pole Ø: 45mm and 40mm.

**432-3.7B**  
**AUTOPOLE 2**  
BLACK FINISH VERSION

**332-3.7B**  
**MINI AUTOPOLE**  
BLACK FINISH VERSION



432-2.7

432-3.7

332-3.7B

# AUTOPOLE SYSTEM

## AUTOPOLE ACCESSORIES



### 032BASE AUTOPOLE BASE

		
1.2kg 2.6lb	86cm 2' 10"	126cm 4' 2"

For tubes: Ø 45mm.  
Legs Ø: 22mm.

### 032BASEB AUTOPOLE BASE BLACK FINISH VERSION

### 032SPL AUTOPOLE SPIRIT LEVEL

Spirit level for use on Autopole®, or on tubes of 25mm to 60mm diameter.



### 032PC AUTOPOLE PROTECTION CAPS

Set of four protection caps for rubber feet with inner hole.  
Ø: 16.5mm.  
Suitable for use with all Autopoles except Midi Autopole®  
332 and Mini Pole 170.



**034**  
**EXTENSION TUBE**



530g  
1.2lb

Autopole® Extension tube. Ø: 40mm.  
Length: 150cm / 4' 11".  
Suitable for Autopole2® and Autopole®.

**034B**  
**EXTENSION TUBE**  
BLACK FINISH VERSION

**033**  
**EXTENSION TUBE**



690g  
1.5lb

Autopole® Extension tube. Ø: 40mm.  
Length: 200cm / 6' 7".  
Suitable for Autopole2® and Autopole®.

**033B**  
**EXTENSION TUBE**  
BLACK FINISH VERSION

**170**  
**MINI POLE**



870g  
1.9lb

Spring loaded mini pole.  
Extends from 175cm / 5' 9" to 330cm / 10' 10".  
Post Ø: 25mm and 28mm.

**170B**  
**MINI POLE**  
BLACK FINISH VERSION



034

033

170

# ARMS SYSTEM



**F900**  
BABY TRIPLE HEADER  
5X16MM PIN/16MM SOCKET



1.3kg  
2.9lb

Length: 65cm / 2' 2".



**F1200**  
COLUMN ARM



3.1kg 10kg 16mm 28mm  
6.8lb 22lb 5/8" 1 1/8"

Length: 51cm / 1' 8".



**F600**  
**BABY OFFSET ARM / TWIN**  
**16MM PIN / 16MM SOCKET**

-   
 700g  
 1.5lb
-   
 16mm  
 5/8"
-   
 16mm  
 5/8"

Length: 38cm / 1' 3".

**F100**  
**JUNIOR OFFSET ARM**  
**28MM PIN / 28MM SOCKET**

-   
 1.5kg  
 3.3lb
-   
 28mm  
 1 1/8"
-   
 28mm  
 1 1/8"

Length: 50cm / 1' 8".



**D244N**  
**VARIABLE FRICTION ARM**

-   
 1,06kg  
 2.3lb
-   
 3kg  
 6.6lb
-   
 16mm  
 5/8"
-   
 16mm  
 5/8"
-   
 3/8"  
 thread
-   
 1/4"  
 thread

Articulated arm with large locking knob to lock all 3 movements.

# WALL PLATES SYSTEM



**F301**  
BABY WALL PLATE

 400g  
0.9lb
  16mm  
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used.



**F300**  
JUNIOR WALL PLATE

 680g  
1.5lb
  28mm  
1 1/8"

A wall plate with a junior receiver to mount larger fixtures.



**F800**  
3" BABY WALL PLATE

 400g  
0.9lb
  16mm  
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Pin length 3".



**F805**  
6" BABY WALL PLATE

 720g  
1.6lb
  16mm  
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Pin length 6".



**F808**  
9" BABY WALL PLATE

 850g  
1.9lb
  16mm  
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Pin length 9".



**F809**  
BABY PLATE WITH 90° PIN

 650g  
1.4lb
  16mm  
5/8"

When a light stand or a clamp cannot be used to support fixtures, this baby plate with a right angle can be mounted on the wall.



**F810**  
BABY PLATE WITH 16MM SWIVEL SPIGOT

 800g  
1.8lb
  16mm  
5/8"

Unique to the Avenger line, this baby plate allows fixtures to be fine-tuned with the built in swiveling baby pin.

## PUMP CUP SYSTEM



**F1000**  
PUMP CUP WITH 16MM BABY SWIVEL SPIGOT

 1.1kg  
2.4lb
  2kg  
4.4lb
  16mm  
5/8"

Ideal for mounting small lights and camera systems onto flat, non-porous surfaces such as glass. A perfect tool for rigging car shoots.




**F1100**  
PUMP CUP WITH 16MM BABY FIXED SPIGOT

 700g  
1.5lb
  2kg  
4.4lb
  16mm  
5/8"












Like the F1000, but with a fixed baby pin for added stability.

# ACCESSORIES











# 16mm / 5/8" MALE ADAPTERS



# 28mm / 1 1/8" MALE ADAPTERS












## SPECIAL ADAPTERS




## JAPANESE FIT ADAPTERS



# SUPER CLAMP ADAPTERS



# SWIVELLING ADAPTERS



## NOTES

# INDEX

art	description	page	art	description	page	art	description	page
013	16MM MALE ADAPTER	88	187	16MM MALE ADAPTER	88	A2025LCB	C-STAND 25 SLIDING LEG BLACK CHROME FINISH	13
014-14	16MM FEMALE ADAPTER	87	188	16MM MALE ADAPTER	88	A2025LJ	C-STAND 25 SLIDING LEG CHROME FINISH JAPANESE	13
014-38	16MM FEMALE ADAPTER	87	189	16MM FEMALE ADAPTER	87	A2025LJCB	C-STAND 25 SLIDING LEG BLACK CHROME FINISH JAPANESE	13
014BIM	16MM FEMALE ADAPTER	87	191	16MM MALE ADAPTER	88	A2029	C-STAND COLUMN 29 CHROME FINISH	14
014MS	16MM FEMALE ADAPTER	87	192	SPECIAL ADAPTER	90	A2029CB	C-STAND COLUMN 29 BLACK CHROME FINISH	14
015	SPECIAL ADAPTER	90	194	16MM FEMALE ADAPTER	87	A2030D	C-STAND 30 DETACHABLE CHROME FINISH	12
016	16MM FEMALE ADAPTER	87	195	16MM MALE ADAPTER	88	A2030DCB	C-STAND 30 DETACHABLE BLACK CHROME FINISH	12
019	SPECIAL ADAPTER	90	264	SUPER CLAMP ADAPTER	91	A2030DCBKIT	C-STAND KIT 30 DETACHABLE BLACK CHROME FINISH	15
022	G-PESO	75	332-3.7B	MINI AUTOPOLE	77	A2030DKIT	C-STAND KIT 30 DETACHABLE CHROME FINISH	15
023	L-PESO	75	432-2.7	AUTOPOLE 2	77	A2033F	C-STAND 33 CHROME FINISH	13
026	SWIVELLING ADAPTER	92	432-2.7B	AUTOPOLE 2 BLACK FINISH	77	A2033FCB	C-STAND 33 BLACK CHROME FINISH	13
027	STAND HOLDER	43, 86	432-3.7	AUTOPOLE 2	77	A2033FCBKIT	C-STAND KIT 33 BLACK CHROME FINISH	15
032	AUTOPOLE	76	432-3.7B	AUTOPOLE 2 BLACK FINISH	77	A2033FKIT	C-STAND KIT 33 CHROME FINISH	15
032B	AUTOPOLE BLACK FINISH	76	620-10	28MM MALE ADAPTER	89	A2033L	C-STAND 33 SLIDING LEG CHROME FINISH	13
032BASE	AUTOPOLE BASE	78	620-12	28MM MALE ADAPTER	89	A2033LCB	C-STAND 33 SLIDING LEG BLACK CHROME FINISH	13
032BASEB	AUTOPOLE BASE BLACK FINISH	78	A0010	BABY STAND 10	20	A2033LJ	C-STAND 33 SLIDING LEG CHROME FINISH JAPANESE	13
032PC	AUTOPOLE PROTECTION CAPS	78	A0010J	BABY STAND 10 JAPANESE	20	A2033LKIT	C-STAND KIT 33 SLIDING LEG CHROME FINISH	15
032SPL	AUTOPOLE SPIRIT LEVEL	78	A0017	BABY STAND 17	20	A2033LJCB	C-STAND 33 SLIDING LEG BLACK CHROME FINISH JAPANESE	13
033	EXTENSION TUBE	79	A0025B	ALU BABY STAND 25	21	A3042CS	OVERHEAD STAND 42	40
033B	EXTENSION TUBE BLACK FINISH	79	A0030B	ALU BABY STAND 30	21	A3043CS	OVERHEAD STAND 43 WITH BRAKED WHEELS	40
034	EXTENSION TUBE	79	A0030CS	STEEL BABY STAND 30	21	A3056CS	WIDE BASE OVERHEAD STAND 56	41
034B	EXTENSION TUBE BLACK FINISH	79	A0035B	ALU BABY STAND 35	21	A3058CS	OVERHEAD STAND 58 WITH BRAKED WHEELS	40
036-14	SUPER CLAMP ADAPTER	91	A0035CS	STEEL BABY STAND 35	21	A3059CS	OVERHEAD STAND 59	40
036-38	SUPER CLAMP ADAPTER	91	A0040B	ALU BABY STAND 40	21	A3065CS	WIDE BASE OVERHEAD STAND 65	41
036MR	SUPER CLAMP ADAPTER	91	A0040CS	STEEL BABY STAND 40	21	A4039CS	STEEL BOOM STAND 39	26
037	SUPER CLAMP ADAPTER	91	A0045B	ALU BABY STAND 45	21	A4041B	ALU BOOM STAND 41	26
061	SUPER CLAMP ADAPTER	91	A0045CS	STEEL BABY STAND 45	21	A4050CS	STEEL BOOM STAND 50	27
061RA	SUPER CLAMP ADAPTER	91	A1010CS	STEEL COMBO STAND 10	22	A5012	ROLLER STAND 12 FOLDING BASE	25
066	SUPER CLAMP ADAPTER	91	A1020B	ALU COMBO STAND 20	22	A5017	ROLLER STAND 17 FOLDING BASE	24
066BT	SUPER CLAMP ADAPTER	91	A1020CS	STEEL COMBO STAND 20	22	A5029	ROLLER STAND 29 LOW BASE	24
076	AUTOPOLE	76	A1035B	ALU COMBO STAND 35	22	A5033	ROLLER STAND 33 FOLDING BASE	24
076B	AUTOPOLE BLACK FINISH	76	A1035CS	STEEL COMBO STAND 35	22	A5034	ROLLER STAND 34 FOLDING BASE	25
077	AUTOPOLE	76	A1045B	ALU COMBO STAND 45	22	A5036CS	ROLLER STAND 36 LOW BASE	25
077B	AUTOPOLE BLACK FINISH	76	A1045CS	STEEL COMBO STAND 45	22	A5042CS	ROLLER STAND 42 LOW BASE	25
087WBK	WIND-BRACING KIT	43	A120J	STEEL LOW BOY COMBO STAND	22	A5043	ROLLER STAND 43 LOW BASE	24
088	SPECIAL ADAPTER	90	A2007	C-STAND MINI BASE CHROME FINISH	14	A625B	MINI KIT STAND BLACK ALU	20
088LBP	SPECIAL ADAPTER	90	A2007CB	C-STAND MINI BASE BLACK CHROME FINISH	14	A630B	MIDI KIT STAND BLACK ALU	20
118	16MM MALE ADAPTER	88, 91	A2009	C-STAND BASE CHROME FINISH	14	A635B	MIXI KIT STAND BLACK ALU	20
119	16MM MALE ADAPTER	88, 91	A2009CB	C-STAND BASE BLACK CHROME FINISH	14	A9000N	BRAKED WHEELS BLACK FINISH	22, 27, 43, 86
143F	FORK	50	A2014	C-STAND COLUMN 14 CHROME FINISH	14	A9000NB	BRAKED WHEELS BLACK FINISH	22, 27, 43, 86
148KN	SPECIAL ADAPTER	90	A2014CB	C-STAND COLUMN 14 BLACK CHROME FINISH	14	AVCSA1301B	TRIPLE C ROLLER CASE FOR DETACHABLE C STAND AND ACCESSORIES	18
149	SPECIAL ADAPTER	90	A2016D	C-STAND 16 DETACHABLE CHROME FINISH	12	B150-1	STRATO SAFE CRANK-UP	32
151	16MM MALE ADAPTER	88	A2016DCB	C-STAND 16 DETACHABLE BLACK CHROME FINISH	12	B150P-1	STRATO SAFE CRANK-UP WITH FILLED WHEELS	32
152	16MM FEMALE ADAPTER	87	A2018F	C-STAND 18 CHROME FINISH	13	B6026CS	WIND UP STAND 26	28
153	16MM FEMALE ADAPTER	87	A2018FCB	C-STAND 20 BLACK CHROME FINISH	13	B6029X	STAINLESS LOW BASE SUPER WIND UP 29 STAND	30
155	SWIVELLING ADAPTER	92	A2018FJCB	C-STAND 20 BLACK CHROME FINISH JAPANESE	13	B6030CS	LOW BASE WIND UP STAND 30	29
155BKL	SWIVELLING ADAPTER	92	A2018L	C-STAND 18 SLIDING LEG CHROME FINISH	13	B6039CS	WIND UP STAND 39	29
158	16MM FEMALE ADAPTER	87	A2018LCB	C-STAND 18 SLIDING LEG BLACK CHROME FINISH	13	B6040X	STAINLESS STEEL SUPER WIND UP 40 STAND	31
159	16MM FEMALE ADAPTER	87	A2018LJ	C-STAND 18 SLIDING LEG CHROME FINISH JAPANESE	13	B6040XK	STAINLESS STEEL SUPER WIND UP 40 STAND	31
163-10	28MM MALE ADAPTER	89	A2018LJCB	C-STAND 18 SLIDING LEG BLACK CHROME FINISH JAPANESE	13	B70XXFFW	FOAM FILL WHEEL SET FOR STRATO SAFE	33
163-12	28MM MALE ADAPTER	89	A2020	C-STAND COLUMN 20 CHROME FINISH	14	B7018	STRATO SAFE STAND 18	32
163-38	28MM MALE ADAPTER	89	A2020CB	C-STAND COLUMN 20 BLACK CHROME FINISH	14	B7030FF	BUCCANEER STAND	34, 35
170	MINI POLE	79	A2020JCB	C-STAND COLUMN 20 BLACK CHROME FINISH JAPANESE	14	B7034FF-2	BANSHEE STAND	36, 37
170B	MINI POLE BLACK FINISH	79	A2022D	C-STAND 22 DETACHABLE CHROME FINISH	12	B7043CS-1	STRATO SAFE STAND 43	33
172	MINI COUNTERWEIGHT	75	A2022DCB	C-STAND 22 DETACHABLE BLACK CHROME FINISH	12	B7047CS-1	STRATO SAFE STAND 47	33
174	SUPER CLAMP ADAPTER	91	A2025F	C-STAND 25 CHROME FINISH	13	B7057FF	LONG JOHN SILVER STAND WITH FOAM FILL WHEELS	38
179	16MM FEMALE ADAPTER	87	A2025FCB	C-STAND 25 BLACK CHROME FINISH	13	B9000	HARD WHEEL SET FOR STRATO SAFE	33
182	16MM MALE ADAPTER	88	A2025L	C-STAND 25 SLIDING LEG CHROME FINISH	13	B9000P	RUBBER FILLED WHEEL SET FOR STRATO SAFE	33
184	16MM MALE ADAPTER	88						
185	16MM MALE ADAPTER	88						
186	16MM MALE ADAPTER	88						

art	description	page	art	description	page	art	description	page
<b>C100</b>	JUNIOR PIPE CLAMP WITH 28MM SOCKET	60	<b>D230</b>	SUPER CLAMP GRIP HEAD	18	<b>G300</b>	EXTRA LARGE SAND BAG	43
<b>C150</b>	SWIVELLING "C" CLAMP	61	<b>D240</b>	GRIP HEAD WITH SWIVEL PIN	18	<b>H600M</b>	MODULAR FRAME 6X6'	52
<b>C155</b>	SAFETY CABLE	59, 86	<b>D244N</b>	VARIABLE FRICTION ARM	81	<b>H660</b>	LIGHTWEIGHT FRAME 6X6'	52
<b>C155-01</b>	SAFETY CABLE	59, 86	<b>D250</b>	GAG GOBO	18	<b>H800M</b>	MODULAR FRAME 8X8'	52
<b>C155-02</b>	SAFETY CABLE	59, 86	<b>D340</b>	CAMERA FLEXTENTION KIT	50	<b>H1200M</b>	MODULAR FRAME 12X12'	52
<b>C210</b>	BABY PIPE CLAMP WITH 16MM STUD	60	<b>D400</b>	4 1/2" JUMBO GRIP HEAD	19, 22	<b>H2000M</b>	MODULAR FRAME 20X20'	52
<b>C337</b>	28MM BUSHING QUICK ACTION JUNIOR CLAMP	62	<b>D400B</b>	4 1/2" JUMBO GRIP HEAD BLACK FINISH	19, 22	<b>H2006</b>	FOLD AWAY FRAME 6X6'	51
<b>C338</b>	16MM PIN QUICK ACTION BABY CLAMP	62	<b>D420</b>	JUMBO GAG GOBO	19	<b>H2008</b>	FOLD AWAY FRAME 8X8'	51
<b>C339</b>	GRAB CLAMP	64	<b>D500</b>	20" EXTENSION GRIP ARM	19	<b>H2010</b>	FOLD AWAY FRAME 12X8'	51
<b>C339BB</b>	GRAB CLAMP WITH 16MM BUSHING	64	<b>D500B</b>	20" EXTENSION GRIP ARM BLACK FINISH	19	<b>H2012</b>	FOLD AWAY FRAME 12X12'	51
<b>C339SP</b>	GRAB CLAMP WITH SPINNING PULLEY	65	<b>D520</b>	40" EXTENSION GRIP ARM	19	<b>H2508</b>	FOLD AWAY FRAME COMPACT 8X8'	51
<b>C339UH</b>	DOUBLE GRIP HEAD	65	<b>D520B</b>	40" EXTENSION GRIP ARM BLACK FINISH	19	<b>H2512</b>	FOLD AWAY FRAME COMPACT 12X12'	51
<b>C345-1</b>	BARREL CLAMP	63	<b>D530L</b>	40" EXTENSION ARM AND GRIP HEAD (D200)	19	<b>H9000</b>	D.I.Y. BUTTERFLY PIPE CORNER KIT	53
<b>C345BK-1</b>	BARREL CLAMP AND KNOB BLACK FINISH	63	<b>D530LB</b>	40" EXTENSION ARM AND GRIP HEAD (D200B)	19	<b>I600B</b>	SOLID BLACK FLAG 12X18"	47
<b>C345K-1</b>	BARREL CLAMP AND KNOB	63		BLACK FINISH	19	<b>I650B</b>	SOLID BLACK FLAG 18X24"	47
<b>C460-1</b>	LP EYE COUPLER	66	<b>D570</b>	EXTENSION ARM WITH SWIVEL PIN	74	<b>I650D</b>	BLACK DOUBLE SCRIM 18X24"	46
<b>C461-1</b>	LP EYE COUPLER WITH 28MM TV SPIGOT	66	<b>D600</b>	MINI BOOM	74	<b>I700B</b>	SOLID BLACK FLAG 24X30"	47
<b>C462-1</b>	LP EYE COUPLER WITH 16MM SPIGOT	66	<b>D600CB</b>	MINI BOOM BLACK CHROME FINISH	74	<b>I750B</b>	SOLID BLACK FLAG 24X36"	47
<b>C463-1</b>	LP EYE COUPLER WITH LIFTING RING	66	<b>D650</b>	JUNIOR BOOM ARM	74	<b>I750D</b>	BLACK DOUBLE SCRIM 24X36"	46
<b>C464-1</b>	LP EYE COUPLER WITH M12 BOLT PLUS NUT	67	<b>D700B</b>	COLLAPSIBLE REFLECTOR HOLDER	50	<b>I750T</b>	BLACK TRIPLE SCRIM 24X36"	46
<b>C465-1</b>	LP EYE COUPLER WITH 28MM BUSHING	67	<b>D705B</b>	LONG COLLAPSIBLE REFLECTOR HOLDER	50	<b>I8030CB</b>	MOUNTING STIRRUP FOR 40" REFLECTOR BOARD	50
<b>C481-1</b>	90° FIXED LP EYE COUPLER	67	<b>D750</b>	40MM (1.6") TELESCOPIC POLYHOLDER	50	<b>I1010</b>	MEAT AXE FLAG 30X36"	48
<b>C482-1</b>	SWIVEL LP EYE COUPLER	67	<b>D800KIT</b>	GRIP KIT	19	<b>I1021</b>	CUTTER 18X18"	48
<b>C500</b>	PELICAN GAFFER GRIP	59	<b>E200</b>	28MM MALE ADAPTER	89	<b>I1023</b>	CUTTER 40X40"	49
<b>C590</b>	CONKA BONKA	42	<b>E250</b>	16MM MALE ADAPTER	88	<b>I1024</b>	SOLID BLACK FLAG 48X48"	47
<b>C622</b>	SMALL STEEL STAND EXTENSION	42	<b>E255</b>	DOUBLE SOCKET 16MM TO 17MM ADAPTOR	90	<b>I1031</b>	FLOPPY CUTTER 48X48"	49
<b>C624</b>	MEDIUM STEEL STAND EXTENSION	42	<b>E260</b>	28MM MALE TO 25MM FEMALE ADAPTOR	90			
<b>C626</b>	LONG STEEL STAND EXTENSION	42	<b>E265</b>	28MM MALE TO 17MM FEMALE ADAPTOR	90			
<b>C820</b>	TELESCOPIC HANGER WITH STIRRUP	72	<b>E270</b>	25MM MALE TO 17MM FEMALE ADAPTOR	90			
<b>C822</b>	LONG TELESCOPIC HANGER WITH STIRRUP	72	<b>E300</b>	16MM MALE ADAPTER	88			
<b>C825</b>	TELESCOPIC HANGER WITH UNIVERSAL HEAD	72	<b>E390</b>	16MM FEMALE ADAPTER	87			
<b>C827</b>	LONG TELESCOPIC HANGER WITH UNIVERSAL HEAD	72	<b>E600</b>	SNAP-IN PIN	19, 91			
<b>C888UH</b>	TELESCOPIC HANGER WITH UNIVERSAL HEAD	73	<b>E600C</b>	SNAP-IN PIN STEEL	19, 91			
<b>C1000</b>	SPECIAL ADAPTER	90	<b>E610</b>	SPECIAL ADAPTER	90			
<b>C1005</b>	SPECIAL ADAPTER	90	<b>E650</b>	16MM MALE ADAPTER	88			
<b>C1100</b>	SPECIAL ADAPTER	90	<b>E700</b>	BABY DROP DOWN PIN	27			
<b>C1525</b>	SKY HOOK	59	<b>E710</b>	JUNIOR DROP DOWN PIN	27			
<b>C1550</b>	HEAVY DUTY SUPER CLAMP	58	<b>F100</b>	JUNIOR OFFSET ARM 28MM PIN / 28MM SOCKET	81			
<b>C1575</b>	SUPER CLAMP	58	<b>F300</b>	JUNIOR WALL PLATE	82			
<b>C1575B</b>	SUPER CLAMP	58	<b>F301</b>	BABY WALL PLATE	82			
<b>C4460-1</b>	MP EYE COUPLER	68	<b>F600</b>	BABY OFFSET ARM/TWIN 16MM PIN / 16MM SOCKET	81			
<b>C4461-1</b>	MP EYE COUPLER WITH 28MM TV SPIGOT	68	<b>F800</b>	3" BABY WALL PLATE	82			
<b>C4462-1</b>	MP EYE COUPLER WITH 16MM SPIGOT	68	<b>F805</b>	6" BABY WALL PLATE	82			
<b>C4463-1</b>	MP EYE COUPLER WITH LIFTING RING	68	<b>F808</b>	9" BABY WALL PLATE	82			
<b>C4464-1</b>	MP EYE COUPLER WITH M12 BOLT PLUS NUT	68	<b>F809</b>	BABY PLATE WITH 90° PIN	83			
<b>C4465-1</b>	MP EYE COUPLER WITH 28MM BUSHING	68	<b>F810</b>	BABY PLATE WITH 16MM SWIVEL SPIGOT	83			
<b>C4469</b>	MP EYE COUPLER WITH 16MM BUSHING	69	<b>F820TH</b>	SWIVELLING ADAPTER	92			
<b>C4482</b>	SWIVEL MP EYE COUPLER	69	<b>F825</b>	SWIVELLING ADAPTER	92			
<b>C4485</b>	MP EYE COUPLER SWIVEL AND TILT		<b>F830</b>	SWIVELLING ADAPTER	92			
	TRUSS SUPPORT 150-250	69	<b>F830RH</b>	SWIVELLING ADAPTER	92			
<b>C4486</b>	MP EYE COUPLER SWIVEL AND TILT		<b>F830TH</b>	SWIVELLING ADAPTER	92			
	TRUSS SUPPORT 200-400	69	<b>F831TH</b>	SWIVELLING ADAPTER	92			
<b>C4560-1</b>	SLIM MP EYE COUPLER	70	<b>F1000</b>	PUMP CUP WITH 16MM BABY SWIVEL SPIGOT	83			
<b>C4564-1</b>	MP EYE COUPLER 12MM BOLT + NUT	70	<b>F1100</b>	PUMP CUP WITH 16MM BABY FIXED SPIGOT	83			
<b>D050</b>	SET OF 6 BLUE T-TOPS	19	<b>F1200</b>	COLUMN ARM	80			
<b>D100</b>	DOUBLE GRIP HEAD	18	<b>F1501</b>	30MM (1.2") POLYHOLDER	50			
<b>D200</b>	2 1/2" GRIP HEAD	18	<b>F1504</b>	FOAMCORE FORK 16MM PIN	50			
<b>D200B</b>	2 1/2" GRIP HEAD BLACK FINISH	18	<b>F1521</b>	50MM (2") POLYHOLDER WITH 16MM SPIGOT	50			
<b>D210J</b>	2 1/2" GRIP HEAD JAPANESE	18	<b>F900</b>	BABY TRIPLE HEADER 5X16MM PIN/16MM SOCKET	80			
<b>D210JB</b>	2 1/2" GRIP HEAD BLACK JAPANESE	18	<b>G100-2</b>	SMALL SAND BAG	43			
<b>D220</b>	GRIP HELPER	18	<b>G200-1</b>	LARGE SAND BAG	43			

## KEY TO SYMBOLS



Minimum height



Maximum height



Closed length



Footprint diameter



Weight



Spigot size



Socket size



Grip head size



Suggested wheels



Maximum payload\*



Gravity cast



TÜV SUD Certification



TÜV Rheinland + GS Mark Certification

Avenger products are warranted to be fit for the purpose for which they have been designed, and to be free from defects in materials and workmanship.

### AVENGER "STANDARD LIMITED WARRANTY"

The validity period of the Standard Limited Warranty is defined by applicable law in the country, state or region where the product is sold.

The instruction manual accompanying the product should be read carefully and the safety instructions followed to avoid accident or damage to the product or its user.

This warranty does not cover any defects or costs caused by misuse and subsequent damage. Misuse is defined by, but not limited to, the cases described here below:

Modification, alteration, repair or service of this product by anyone other than an Avenger authorized agent.

Physical abuse to, overloading of, or misuse of, the product or operation thereof in a manner contrary to the instructions accompanying the product.

Failure to comply with care and maintenance instructions accompanying the product.

Any use of the product other than that for which it was designed.

Shipment of the product to the Avenger service department.

For more information on the warranty term in your country access to spare parts and other services please contact your local Country Distributor. For any information please visit [www.avengergrip.com](http://www.avengergrip.com)

### WARRANTY EXTENSION

Selected Avenger Products are eligible for a free Limited Conventional Warranty Extension from the date of purchase upon Online Product Registration. By simply registering your purchase with us, your product will receive the warranty extension, if applicable.

Please go to [www.manfrotto.com](http://www.manfrotto.com) into the warranty area of the website and register your product.

Whilst every effort has been made to ensure that the information contained within this catalogue is correct, Manfrotto accepts no liability for errors or omissions. Technical specifications and data are provided for guidance only. All rights are strictly reserved. Products shown in this catalogue are protected by international patents, while this publication (in whole or in part) without written consent from Avenger is strictly forbidden and punishable by law. Because we constantly aim to improve our products, we reserve the right to amend or alter at any time and without prior notice the specifications of any item detailed in this publication.

\* Where relevant, maximum evenly distributed load on level ground.









































